International Journal of Pharmaceutics, 77 (1991) 321–323
© 1991 Elsevier Science Publishers B.V. All rights reserved 0378-5173/91/$03.50

Author Index

Ahmed, S.M., Naggi, A., Guerrini, M. and Focher, B.
Inclusion complexes of bropirimine with β-cyclodextrin in solution and in solid state (77) 247
Anderson, G.J., see Toth, I. (77) 13
Angberg, M., Nyström, C. and Castensson, S.
Evaluation of heat-conduction microcalorimetry in pharmaceutical stability studies. IV. The influence of microcrystalline cellulose on the hydration rate of anhydrous lactose (77) 269

Bellemare, M., see Juhász, J. (77) 309
Berner, B., see Yuk, S.H. (77) 221
Berner, B., see Yuk, S.H. (77) 231
Bidah, D. and Vergnaud, J.M.
Dosage forms with a polymer matrix and a swelling polymer (77) 81
Bindschaedler, C., see Ibrahim, H. (77) 211
Bonina, F.P., Montenegro, L., De Capraris, P., Bousquet, E. and Tirendi, S.
1-Alkylazacycloalkan-2-one esters as prodrugs of indomethacin for improved delivery through human skin (77) 21
Bousquet, E., see Bonina, F.P. (77) 21
Brunet, C., see Dine, T. (77) 279
Bundgaard, H., see Kahns, A.H. (77) 65
Buri, P., see Ibrahim, H. (77) 211

Cadórniga, R., see Francés, C. (77) 193
Caramella, C., see Giunchedi, P. (77) 177
Casabó, V.G., see Díez-Sales, O. (77) 1
Castensson, S., see Angberg, M. (77) 269
Cazin, J.C., see Dine, T. (77) 279
Cazin, M., see Dine, T. (77) 279
Chia, C.G.H., see Wan, L.S.C. (77) 183
Connolly, M.A., see Washington, C. (77) 57
Conte, U., see Giunchedi, P. (77) 177
Copoví, A., see Díez-Sales, O. (77) 1
Cox, D.M., see Toth, I. (77) 13
Crommelin, D.J.A., see De Smidt, J.H. (77) 255
Crommelin, D.J.A., see De Smidt, J.H. (77) 261
Crommelin, D.J.A., see Talsma, H. (77) 119

Davis, S.S., see Jeffery, H. (77) 169
De Capraris, P., see Bonina, F.P. (77) 21
Delatour, P., see Walchshofer, N. (77) 265
De Smidt, J.H. and Crommelin, D.J.A.
Viscosity measurement in aqueous polymer solutions by dynamic light scattering (77) 261
De Smidt, J.H., Offringa, J.C.A. and Crommelin, D.J.A.
Dissolution kinetics of theophylline in aqueous polymer solutions (77) 255
Díez-Sales, O., Copoví, A., Casabó, V.G. and Herráez, M.
A modelistic approach showing the importance of the stagnant aqueous layers in in vitro diffusion studies, and in vitro-in vivo correlations (77) 1
Dine, T., Luyckx, M., Cazin, J.C., Brunet, C., Cazin, M., Goudaliez, F. and Mallevais, M.L.
Stability and compatibility studies of vinblastine, vincristine, vindesine and vinorelbine with PVC infusion bags (77) 279
Doelker, E., see Ibrahim, H. (77) 211
Durig, T. and Fassihi, A.R.
Preformulation study of moisture effect on the physical stability of pyridoxal hydrochloride (77) 315

Eerikäinen, S.
Effects of spheronization on some properties of uncoated and coated granules containing different kinds of fillers (77) 89
Efstathiou, C.E., see Pentari, J.G. (77) 41
Español, O.M., see Francés, C. (77) 193

Fairbrother, J.E., see Hollingsbee, D.A. (77) 199
Fassihi, A.R., see Durig, T. (77) 315
Focher, B., see Ahmed, S.M. (77) 247
Francés, C., Veiga, M.D., Español, O.M. and Cadórniga, R.
Preparation, characterization and dissolution of ciprofloxacin/PEG 6000 binary systems (77) 193

Gibbons, W.A., see Toth, I. (77) 13
Giunchedi, P., Maggi, L., Conte, U. and Caramella, C.
Ketoprofen pulsatile absorption from 'multiple unit' hydrophilic matrices (77) 177
Goudaliez, F., see Dine, T. (77) 279
Guerrini, M., see Ahmed, S.M. (77) 247
Gurny, R., see Ibrahim, H. (77) 211

Hadgraft, J., see Marques, H.M.C. (77) 297
Hadgraft, J., see Marques, H.M.C. (77) 303
Hasegawa, T., see Kawaguchi, T. (77) 71
Heng, P.W.S., see Wan, L.S.C. (77) 183

Herbage, D., see Pajean, M. (77) 31
Herman, C.S., see Suryanarayanan, R. (77) 287
Herráez, M., see Díez-Sales, O. (77) 1
Higuchi, W.I., see Sims, S.M. (77) 107
Hollingsbee, D.A., Fairbrother, J.E., Martin, G.P., Marriott, C. and Monger, L.
The effect of a hydrocolloid dermatological patch (Actiderm) in potentiating the skin blanching activity of triamcinolone acetonide (77) 199
Howard, D.R., see Neau, S.H. (77) 239
Huc, A., see Pajean, M. (77) 31
Hughes, R.A., see Toth, I. (77) 13

Ibrahim, H., Bindschaedler, C., Doelker, E., Buri, P. and Gurny, R.
Concept and development of ophthalmic pseudo-latexes triggered by pH (77) 211
Illum, L., see Richardson, J.L. (77) 75

Jähnke, R.W.O., Kreuter, J. and Ross, G.
Content/container interactions: The phenomenon of haze formation on reconstitution of solids for parenteral use (77) 47
Jeffery, H., Davis, S.S. and O'Hagan, D.T.
The preparation and characterisation of poly(lactide-co-glycolide) microparticles. I: Oil-in-water emulsion solvent evaporation (77) 169
Juhász, J., Lenaerts, V., Bellemare, M., Pimienta, C. and Ong, H.
Stability and adsorption to polymeric surfaces of rat ANF in poloxamer 407 solutions (77) 309
Juni, K., see Kawaguchi, T. (77) 71

Kahns, A.H. and Bundgaard, H.
Facile α-chymotrypsin-catalyzed degradation of the HIV inhibitor [D-Ala^1]-Peptide T amide (77) 65
Kawaguchi, T., Hasegawa, T., Juni, K. and Seki, T.
Rectal absorption of Zidovudine (77) 71
Kellaway, I.W., see Marques, H.M.C. (77) 297
Kellaway, I.W., see Marques, H.M.C. (77) 303
Kim, S.W., see Yuk, S.H. (77) 221
Kim, S.W., see Yuk, S.H. (77) 231
Koupparis, M.A., see Pentari, J.G. (77) 41
Kreuter, J., see Jähnke, R.W.O. (77) 47

Lee, S.J., see Yuk, S.H. (77) 221
Lee, S.J., see Yuk, S.H. (77) 231
Lenaerts, V., see Juhász, J. (77) 309
Luyckx, M., see Dine, T. (77) 279

Ma, L., Ramachandran, C. and Weiner, N.D.
Partitioning of a homologous series of alkyl *p*-aminobenzoates in dipalmitoylphosphatidylcholine liposomes: effect of liposome type (77) 127
Maggi, L., see Giunchedi, P. (77) 177
Mallevais, M.L., see Dine, T. (77) 279
Manning, R., see Washington, C. (77) 57
Marques, H.M.C., Hadgraft, J., Kellaway, I.W. and Taylor, G.
Studies of cyclodextrin inclusion complexes. III. The pulmonary absorption of β-, DM-β- and HP-β-cyclodextrins in rabbits (77) 297
Marques, H.M.C., Hadgraft, J., Kellaway, I.W. and Taylor, G.
Studies of cyclodextrin inclusion complexes. IV. The pulmonary absorption of salbutamol from a complex with 2-hydroxypropyl-β-cyclodextrin in rabbits (77) 303
Marriott, C., see Hollingsbee, D.A. (77) 199
Martin, G.P., see Hollingsbee, D.A. (77) 199
Matheson, L.E., Vayumhasuwan, P. and Moeckly, D.M.
The development of a predictive method for the estimation of flux through polydimethylsiloxane membranes. II. Derivation of a diffusion parameter and its application to multisubstituted benzenes (77) 163
Matheson, L.E., see Moeckly, D.M. (77) 151
McColm, A.M., see Toth, I. (77) 13
Moeckly, D.M. and Matheson, L.E.
The development of a predictive method for the estimation of flux through polydimethylsiloxane membranes: I. Identification of critical variables for a series of substituted benzenes (77) 151
Moeckly, D.M., see Matheson, L.E. (77) 163
Monger, L., see Hollingsbee, D.A. (77) 199
Montenegro, L., see Bonina, F.P. (77) 21
Murakami, M., see Ohtani, T. (77) 141
Muranishi, S., see Ohtani, T. (77) 141

Naggi, A., see Ahmed, S.M. (77) 247
Neau, S.H. and Howard, D.R.
Partial molal volumes of *n*-alkyl *p*-aminobenzoates in nonpolar solvents (77) 239
Nyström, C., see Angberg, M. (77) 269

Offringa, J.C.A., see De Smidt, J.H. (77) 255
O'Hagan, D.T., see Jeffery, H. (77) 169
Ohtani, T., Murakami, M., Yamamoto, A., Takada, K. and Muranishi, S.
Effect of absorption enhancers on pulmonary absorption of fluorescein isothiocyanate dextrans with various molecular weights (77) 141
Okano, T., see Yuk, S.H. (77) 221
Okano, T., see Yuk, S.H. (77) 231
Ong, H., see Juhász, J. (77) 309

Pajean, M., Huc, A. and Herbage, D.
Stabilization of liposomes with collagen (77) 31
Paris, J., see Walchshofer, N. (77) 265
Pentari, J.G., Efstathiou, C.E. and Koupparis, M.A.
Kinetic determination of carbocysteine in syrup based on its reaction with 1-fluoro-2,4-dinitrobenzene monitored with a fluoride-selective electrode (77) 41
Pimienta, C., see Juhász, J. (77) 309

Ramachandran, C., see Ma, L. (77) 127
Richardson, J.L., Thomas, N.W. and Illum, L.
Recovery of the rat vaginal epithelium from the histological effects of absorption enhancers (77) 75
Ross, G., see Jähnke, R.W.O. (77) 47

Seki, T., see Kawaguchi, T. (77) 71
Sims, S.M., Higuchi, W.I. and Srinivasan, V.
Interaction of electric field and electro-osmotic effects in determining iontophoretic enhancement of anions and cations (77) 107
Skerratt, M.C.L., see Washington, C. (77) 57
Srinivasan, V., see Sims, S.M. (77) 107
Suryanarayanan, R. and Herman, C.S.
Quantitative analysis of the active ingredient in a multicomponent tablet formulation by powder X-ray diffractometry (77) 287

Takada, K., see Ohtani, T. (77) 141
Talsma, H., Van Steenbergen, M.J. and Crommelin, D.J.A.
The cryopreservation of liposomes: 3. Almost complete retention of a water-soluble marker in small liposomes in a cryoprotectant containing dispersion after a freezing/thawing cycle (77) 119
Taylor, G., see Marques, H.M.C. (77) 297
Taylor, G., see Marques, H.M.C. (77) 303
Thomas, N.W., see Richardson, J.L. (77) 75
Tirendi, S., see Bonina, F.P. (77) 21
Toth, I., Hughes, R.A., Ward, P., McColm, A.M., Cox, D.M., Anderson, G.J. and Gibbons, W.A.
Fatty peptides. VI. Penicillin and cephalosporin esters with increased lipophilic character (77) 13

Van Steenbergen, M.J., see Talsma, H. (77) 119
Vayumhasuwan, P., see Matheson, L.E. (77) 163
Veiga, M.D., see Francés, C. (77) 193
Vergnaud, J.M., see Bidah, D. (77) 81

Walchshofer, N., Delatour, P. and Paris, J.
Pharmacokinetics of an anthelmintic potential prodrug of a new benzimidazole in gerbil, mouse and sheep (77) 265
Wan, L.S.C., Heng, P.W.S. and Chia, C.G.H.
Preparation of coated particles using a spray drying process with an aqueous system (77) 183
Ward, P., see Toth, I. (77) 13
Washington, C., Connolly, M.A., Manning, R. and Skerratt, M.C.L.
The electrokinetic properties of phospholipid stabilized fat emulsions. V. The effect of amino acids on emulsion stability (77) 57
Weiner, N.D., see Ma, L. (77) 127

Yamamoto, A., see Ohtani, T. (77) 141
Yuk, S.H., Lee, S.J., Okano, T., Berner, B. and Kim, S.W.
One-way membrane for transdermal drug delivery systems. I. Membrane preparation and characterization (77) 221
Yuk, S.H., Lee, S.J., Okano, T., Berner, B. and Kim, S.W.
One-way membrane for transdermal drug delivery systems. II. System optimization (77) 231